




Ingersoll

Rotary Mower
L47, M47, N47, RM44YR
Parts Catalog 8-2711

[HOME](#)[TRACTORS](#)[ATTACHMENTS](#)[PAINT](#)[GENERAL INFO](#)

ALPHABETICAL INDEX

| | |
|-------------------------|-------|
| Axle | 9 |
| Bearings, Spindles..... | 11-13 |
| Belts..... | 5-7 |
| Blades..... | 11-13 |
| Bracket, Mounting..... | 9 |
| Decals | 13 |
| Deck..... | 5-7 |
| Mounting Bracket..... | 9 |
| Guards and Covers..... | 5-7 |
| Housing, Spindles..... | 11-13 |
| Lift Links..... | 5-7 |
| Pulleys | 11-13 |
| Spindles | 11-13 |
| Wheels..... | 9 |



MAIN**INDEX****GENERAL INFORMATION****INDEX**

There is an index at the front and rear of this catalog. The front index is an alphabetical index of the major groups or assemblies.

The rear index is a numerical index of the part numbers and pages on which these numbers are shown.

ILLUSTRATION

Each illustration in this catalog shows a group of parts or components. These parts and components are aligned approximately as the parts and components on your machine. Each part and component in an illustration has a reference number. These reference numbers are in a list on the page opposite of the illustration. Next to the reference number is the part number, description and required quantity of the part shown in the illustration.

UAR - "Use as required" indicates that the part quantity is variable.

NSS - "Not sold separately" indicates that the part is only available as component of an assembly or the part must be purchased locally. If the part is an assembly component, the description will be indented under the assembly description in the parts list.

O/L - "Obtain locally"

- "Footnotes" are added to a part number when more information is needed for identification. They only relate to the part numbers indicated. All orders must include the following information:

PARTS ORDERS

1. Correct part number.
2. Complete description of part or component.
3. Total quantity of each part or component.
4. Product model number.
5. All necessary product identification numbers.
6. Method for sending the parts.
7. Complete and correct address.

CATALOG REVISIONS

As the product changes, new pages will be available for your catalog. A notice will be issued.

IMPORTANT: Put all revisions into the catalog as soon as possible.

RIGHT HAND AND LEFT HAND IDENTIFICATION

The words right hand (RH) and left hand (LH) as used in this catalog indicate the direction while you are in the operator's seat in the normal operating position.

INDENTED DESCRIPTIONS

An assembly can have many components. The components of an assembly are indicated by an indented description. The quantity for an indented part is the total needed for that complete assembly. See the example.

| REF. | PART NO. | DESCRIPTION | REQ'D |
|------|----------|--------------------------------------|-------|
| 28 | C 55159 | CYLINDER ASSY - rear steering | 1 |
| | C 56208 | SOCKET ASSY - rear cylinder..... | 1 |
| 29 | C 55956 | PLUG - adjusting, socket assy | 1 |
| 30 | C 55957 | SEAT- socket, ball..... | 2 |
| 31 | C 56210 | SPRING-socket..... | 1 |
| 32 | C 56209 | SEAT - socket spring | 1 |
| 33 | G 45175 | CLAMP ASSY - socket assy | 1 |
| | 16- 836 | BOLT-1/2"x2-1/4" N.F. hex..... | 1 |
| 34 | 132- 104 | PIN-cotter, 3/16"x3" | 1 |
| 35 | C 55889 | STUD - ball, socket & cylinder | 2 |
| 36 | 13- 410 | BOLT-1/4"x5/8"N.C.,hex | 4 |
| 37 | 92- 4 | LOCK WASHER - 1/4"SAE | 4 |

INDEX


PAINT AND OIL

PAINT

| REF. | PART NO. | DESCRIPTION | REQ'D |
|------|----------|--|-------|
| 1 | C 28849 | BLACK - semi - gloss, 12 oz spray (2 per carton) | 1 |
| 2 | C 28850 | BLACK - semi - gloss, quart (2 per carton) | 1 |
| 3 | C 28850 | BLACK - semi - gloss, heat resistant, 12 oz spray (2 per carton) | 1 |
| 4 | C 28484 | POWER RED - gloss, 12 oz spray (2 per carton) | 1 |
| 5 | C 28485 | POWER RED - gloss, quart (2 per carton) | 1 |
| 6 | C 30870 | SILVER - gloss, 12 oz. spray (2 per carton)..... | 1 |
| 7 | C 31643 | POWER RED - gloss, 1 oz touch up, (1 doz. per carton) | 1 |

OIL

| | | | |
|---|---------|--|---|
| 1 | C 32776 | OIL - SAE 30, SF, quart (12 per case) | 1 |
| 2 | C 32777 | OIL - SAE 5W20, SF, quart (12 per case) | 1 |
| 3 | C 32778 | OIL - SAE 20W40, SF, quart (12 per case) | 1 |


INDEX**MODEL L47, M47, N47 - ALL****RM44YR - Before PIN 043050****AFTER THIS PIN**

INDEX**MODEL L47, M47, N47 AND RM44YR ROTARY MOWER****DECK, BELTS AND COVERS****L47, M47, N47 - ALL****RM44YR - Before PIN 043050****AFTER THIS PIN**

| REF. | PART NO. | DESCRIPTION | REQ'D |
|------|-----------|--|-------|
| 1 | C27091 | COVER - deck belt..... | 1 |
| 2 | 187-1036 | SCREW - 1/4" - 20 x 1/2" self-tapping | 8 |
| 3 | C27092 | GUARD - deck belt..... | 2 |
| 4 | 187-1328 | SCREW - No. 8 - 18 x 3/8" self tapping | 2 |
| 5 | C22707 | BELT - deck | 1 |
| 6 | C27120 | BELT - drive | 1 |
| 7 | C27093 | DEFLECTOR | 1 |
| 8 | 111-101 | BOLT - 1/4" - 20 x 5/8" carriage | 5 |
| 9 | 192-19 | LOCK WASHER - 1/4" | 5 |
| 10 | 129-101 | NUT - 1/4" | 5 |
| 11 | C27094 | PAD - footrest R.H. (shown)..... | 1 |
| 11 | C27095 | PAD - footrest - L.H..... | 1 |
| 12 | NSS * | DECK - mower | 1 |
| 12 | C33392 ** | DECK - mower (shown) | 1 |
| 13 | C15560 | BRACKET - axle pivot..... | 1 |
| 14 | 111-371 | BOLT - 3/8" - 16 x 1" carriage | 2 |
| 15 | 192-21 | LOCK WASHER - 3/8" | 2 |
| 16 | 129-103 | NUT - 3/8"..... | 2 |
| 17 | C25408 | BRACKET - height adjust..... | 1 |
| 18 | 111-132 | BOLT - 5/16" - 18 x 3/4" carriage | 2 |
| 19 | 193-29 | LOCK WASHER - 5/16" | 2 |
| 20 | 129-102 | NUT - 5/16"..... | 2 |
| 21 | C27096 | LINK - lift..... | 2 |
| 22 | 195-533 | WASHER - 1/2" | 4 |
| 23 | C10821 | PIN - clevis | 4 |
| 24 | 132-310 | PIN - cotter 1/8" x 1" | 2 |
| 25 | C10898 | PIN - safety | 2 |
| 26 | C31 501 | ROLLER - anti-scalp | 1 |
| 27 | C31500 | SPACER - sleeve..... | 1 |
| 28 | C30649 | WASHER..... | 1 |
| 29 | 131-375 | BOLT - 3/8" - 16 x 3" carriage | 1 |
| 30 | 131-938 | NUT - 3/8" - 16 flange lock..... | 1 |

* Before PIN 004789 use C33392, C31500, C31501
C30649, 131-375 and 131-938

** Use PIN 004789 and after

INDEX**MODEL L47, M47, N47 - ALL
RM44YR - PIN 043050 AND AFTER****BEFORE THIS PIN**

INDEX
**MODEL L47, M47, N47 - All
RM44YR - PIN 043050 AND AFTER**
BEFORE THIS PIN**DECK, BELTS, AND BACKSIDE IDLER PULLEY**


| REF. | PART NO. | DESCRIPTION | REQ'D |
|------|----------|---|-------|
| 1 | C34718 | COVER - deck belt L.H | 1 |
| 1 | C34719 | COVER - deck belt R.H. (shown)..... | 1 |
| 2 | C28105 | RING - retaining | 4 |
| 3 | 195-533 | WASHER - 1/2" | 4 |
| 4 | 187-1036 | SCREW - 1/4" x 1/2" self-tapping..... | 8 |
| 5 | C27120 | BELT - drive 50.42" | 1 |
| 6 | C27096 | LINK - lift..... | 2 |
| 8 | C23949 | BELT - mower deck..... | 1 |
| 9 | C31606 | SPRING - tension..... | 1 |
| 10 | C31500 | ROLLER - anti-scalp, rear..... | 2 |
| 11 | C31 501 | SPACER - sleeve..... | 2 |
| 12 | 111-375 | BOLT - 3/8" - 16 x 3" carriage | 1 |
| 13 | 131-938 | NUT - 3/8" - 16 flange lock | 3 |
| 14 | C36862 | DECK - mower | 1 |
| 15 | C31608 | PLATE - idler..... | 1 |
| 16 | C12251 | PULLEY - backside idler | 1 |
| 17 | 111-366 | BOLT - 3/8" - 16 x 1-1/4" carriage..... | 1 |
| 18 | 195-525 | WASHER - 3/8" | 1 |
| 19 | 131-1352 | NUT - 3/8" - 16 flange lock | 2 |
| 20 | 111-371 | BOLT - 3/8" 16 x 1" carriage | 1 |
| 21 | C14768 | SPACER - sleeve..... | 1 |
| 22 | 195-105 | WASHER - 1/2" | 1 |
| 23 | C27093 | DEFLECTOR - chute | 1 |
| 24 | C28977 | ROLLER - 7", front | 1 |
| 25 | C26405 | SHAFT - roller | 1 |
| 26 | 138-106 | PIN - roll 3/16" x 2-1/2" | 1 |
| 27 | C10821 | PIN - clevis 1/2" x 1" | 4 |
| 28 | 195-541 | WASHER - 5/8" | 1 |
| 29 | C33709 | WHEEL - anti-scalp, front..... | 2 |
| 30 | C16745 | BOLT - shoulder | 3 |
| 31 | C30649 | WASHER - spacer | 2 |
| 32 | 111-101 | BOLT - 1/4" - 20 x 5/8" carriage | 5 |
| 33 | 131-934 | NUT - 1/4" - 20 flange | 5 |
| 34 | 132-310 | PIN - cotter | 2 |
| 35 | 131-1182 | NUT- 1/2" lock | 1 |
| 36 | C26090 | PULLEY - idler, drive belt..... | 1 |
| 37 | C27109 | IDLER ARM ASSEMBLY | 1 |
| 38 | C16714 | BUSHING - sleeve..... | 1 |
| 39 | 113-410 | BOLT - 1/2" - 13 x 1-1/2"..... | 1 |
| 40 | C24321 | SPRING - idler, drive belt..... | 1 |

INDEX**MODEL L47, M47, N47 AND RM44YR ROTARY MOWER AXLE AND**


MOUNTING BRACKETS

L47, M47, N47 - ALL

RM44YR - before PIN 043050

**INDEX****AXLE AND MOUNTING BRACKETS**

RM44YR - PIN 043050 and after



INDEX**MODEL L47, M47, N47 AND RM44YR ROTARY MOWER**
**AXLE AND MOUNTING BRACKETS
L47, M47, N47 - ALL
RM44YR - before PIN 043050**


| REF. | PART NO. | DESCRIPTION | REQ'D |
|------|----------|--|-------|
| 1 | C10821 | PIN - clevis | 2 |
| 2 | C10898 | PIN - safety | 4 |
| 3 | 195-533 | WASHER - 1/2" | 4 |
| 4 | C26736 | WHEEL - gauge | 2 |
| 5 | C16745 | BOLT - shoulder | 2 |
| 6 | 131-1181 | NUT - 3/8" - 16 lock | 2 |
| 7 | C27106 | AXLE - rear | 1 |
| 8 | C14932 | BRACKET - axle mounting | 1 |
| 9 | 111-101 | BOLT - 1/4" 20 x 3/4" carriage | 2 |
| 10 | 192-19 | LOCK WASHER - 1/4" | 2 |
| 11 | 129-101 | NUT- 1/4" -20 | 2 |
| 12 | C20005 | PIN - retaining | 1 |
| 13 | C10482 | SPRING | 2 |
| 14 | 138-96 | PIN - roll 3/16" x 1" | 1 |
| 15 | C27115 | FRAME - mounting | 1 |
| 16 | C15278 | PIN - retaining | 2 |
| 17 | 138-99 | PIN - roll 3/16" x 1-3/8" | 2 |
| 18 | C27118 | BRACKET - suspension adjust R.H. (shown) | 1 |
| 18 | C27119 | BRACKET - suspension adjust L.H | 1 |
| 19 | C19088 | BOLT - "J" suspension adjust | 2 |
| 20 | 131-1182 | NUT - 1/2" - 13 lock | 4 |
| 21 | 111-517 | BOLT - 1/2" - 13 x 1" carriage | 2 |
| 22 | 131-1308 | NUT - 1/2" - 13 lock | 2 |

INDEX
**AXLE AND MOUNTING BRACKETS
RM44YR - PIN 043050 and after**

| REF. | PART NO. | DESCRIPTION | REQ'D |
|------|----------|--|-------|
| 1 | C10821 | PIN - clevis | 2 |
| 2 | C10898 | PIN - safety | 4 |
| 3 | 195-541 | WASHER - 1/2" | 4 |
| 4 | C31498 | WHEEL - gauge | 2 |
| 5 | C31499 | BOLT - shoulder | 2 |
| 6 | 131-930 | NUT - 3/8" - flange lock | 2 |
| 7 | C36867 | AXLE - rear | 1 |
| 8 | C14932 | BRACKET - axle mounting | 1 |
| 9 | 111-340 | BOLT - 3/8" - 16 x 3/4" carriage (shown) | 4 |
| 9 | 121-228 | BOLT - 3/8" - 16 x 3/4" flange lock (center support) | 2 |
| 10 | 192-19 | LOCK WASHER - 1/4" | 2 |
| 11 | 131-938 | NUT - 3/8" - 16 flange lock | 6 |
| 12 | C20005 | PIN - retaining | 1 |
| 13 | C10482 | SPRING | 2 |
| 14 | 138-96 | PIN - roll 3/16" x 1" | 1 |
| 15 | C36871 | FRAME - mounting | 1 |
| 16 | C15278 | PIN - retaining | 2 |
| 17 | 138-99 | PIN - roll 3/16" x 1" | 2 |
| 18 | C27118 | BRACKET - suspension adjust R.H. (shown) | 1 |
| 18 | C27119 | BRACKET - suspension adjust L.H | 1 |
| 19 | C19088 | BOLT - "J" suspension adjust | 2 |
| 20 | 131-1182 | NUT - 1/2" - 13 lock | 4 |
| 21 | 111-517 | BOLT - 1/2" - 13 x 1" carriage | 2 |
| 22 | 131-1308 | NUT - 1/2" - 13 lock | 2 |
| 23 | C34734 | BRACKET - height adjust | 1 |
| 24 | 111-132 | BOLT - 5/16" - 18 x 3/4" | 2 |
| 25 | 131-911 | NUT - 5/16" - 18 flange | 2 |
| 26 | C20005 | PIN - locking | 1 |
| 27 | C10482 | SPRING - compression | 1 |
| 28 | 138-96 | PIN - roll 3/16" x 1" | 1 |

INDEX**MODEL L47, M47, N47 AND RM44YR ROTARY MOWER**

PULLEYS, BLADES AND SPINDLES
L47, M47, N47 - ALL
RM44YR - before PIN 043050





AFTER THIS PIN

INDEX**MODEL L47, M47, N47 AND RM44YR ROTARY MOWER**

PULLEYS, BLADES AND SPINDLES
L47, M47, N47 - ALL
RM44YR - before PIN 043050

AFTER THIS PIN

| REF. | PART NO. | DESCRIPTION | REQ'D |
|------|----------|--|-------|
| 1 | C17666 | HOUSING - mower spindle (also requires (2) C16516 retainers) | 3 |
| 2 | C28971 | BEARING - spindle | 6 |
| 3 | C28972 | WASHER - bearing seal | 3 |
| 4 | C25543 | SHIELD - bearing | 3 |
| 5 | 126-19 | KEY - spindle, #11 Woodruff | 4 |
| 6 | C15763 | SPINDLE - outboard | 2 |
| 7 | C1 5604 | SPINDLE - center | 1 |
| 8 | C27113 | BLADE - 15-1/2" | 3 |
| 9 | 113-206 | BOLT - 3/8" x 5/8" NC hex (grade 5) | 6 |
| 10 | 192-21 | LOCK WASHER - 3/8" | 18 |
| 11 | C10810 | SPACER - bearing | 3 |
| 12 | C21 581 | PULLEY - spindle | 3 |
| 13 | 131-1331 | NUT - jam lock 3/4" NF hex | 3 |
| 14 | 113-206 | BOLT - 3/8" x 3/4" NC hex | 12 |
| 15 | C15615 | PULLEY - drive | 1 |
| 16 | C12251 | PULLEY - deck idler | 1 |
| 17 | C27108 | BRACKET - idler | 1 |
| 18 | 111-371 | BOLT - 3/8" x 1" carriage, short neck | 1 |
| 19 | 195-105 | WASHER - 1/2" ZP | 1 |
| 20 | C14768 | SPACER - idler bracket | 1 |
| 21 | 195-525 | WASHER - 3/8" ZP | 2 |
| 22 | 131-1181 | NUT - lock 3/8" NC hex | 3 |
| 23 | C14482 | SPRING - idler, deck belt | 1 |
| 24 | C16516 | RING - retainer | 6 |
| 25 | 111-366 | BOLT - 3/8" x 1-1/4" carriage, short neck | 1 |
| 26 | C25541 | SPACER - spindle | 3 |
| 27 | C24321 | SPRING - idler, drive belt | 1 |
| 28 | C27109 | IDLER ARM ASSEMBLY | 1 |
| 29 | C16714 | BUSHING - sleeve | 1 |
| 30 | C16745 | BOLT - shoulder | 1 |
| 31 | C30649 | WASHER - 3/8" | 2 |
| 32 | C26090 | PULLEY - idler, drive belt | 1 |
| 33 | 113-410 | BOLT - 1/2" - 13 x 1-1/2" | 1 |
| 35 | C28226 | WASHER - spacer | 1 |

INDEX**MODEL L47, M47, N47 AND RM44YR ROTARY MOWER****SPINDLES AND BLADES
RM44YR - PIN 043050 and after****BEFORE THIS PIN****INDEX**

INDEX**MODEL L47, M47, N47 AND RM44YR ROTARY MOWER****SPINDLES AND BLADES**

RM44YR - PIN 043050 and after

BEFORE THIS PIN

| REF. | PART NO. | DESCRIPTION | REQ'D |
|------|----------|---|-------|
| 1 | NSS | HOUSING – spindle (use C17666 and (2) C16516) | 3 |
| 2 | C28971 | BEARING - spindle | 6 |
| 3 | C10810 | SPACER - bearing | 3 |
| 4 | C25542 | ADAPTER - blade | 3 |
| 5 | C31452 | WASHER - 3/8" x 2" | 3 |
| 6 | 192-21 | LOCK WASHER - 3/8" | 15 |
| 7 | 113-209 | BOLT - 3/8" - 16 x 1-1/2" (use 35 ft lb. or torque) | 3 |
| 8 | C31566 | SPINDLE - outboard | 2 |
| 9 | C29431 | SPACER - spindle | 3 |
| 10 | C31571 | BLADE - 15-1/2" | 3 |
| 11 | 113-206 | BOLT - 3/8" - 16 x 3/4" (use 15 ft lb. of torque) | 12 |
| 12 | C36868 | SPINDLE - center | 1 |
| 13 | C25544 | SHIELD - bearing | 3 |

DECALS

| | | | |
|---|----------|--------------------------------------|---|
| 1 | C27090 | DECAL - drive belt | 1 |
| 2 | C12519 | DECAL - "No Step" | 1 |
| 3 | 321-6210 | DECAL - cutting height | 1 |
| 4 | C31087 | DECAL - "Spinning Blade" | 2 |
| 5 | NSS | DECAL - "Flying Debris" (use C31086) | 1 |
| 6 | C31086 | DECAL - "Warning" (RM44YR) | 1 |